



Model Size	Coverage Area	Wattage Output Equivalent	Max Tube Light Length
10"	up to 150 sq. ft.	up to 300 watts	18'
13"	up to 300 sq. ft.	up to 500 watts	20'
18"	up to 500 sq. ft.	up to 1000 watts	20'
21"	up to 700 sq. ft.	up to 1450 watts	20'



The Evolution of the Skylight

For about the cost of a nice light fixture, we can bring the soft natural light of the sun into virtually any space in your home. Installed on any roof surface in under two hours, you will quickly realize the cost benefits of a tubular skylight over incandescent and even traditional skylights. In addition to the free daytime operating cost, Natural Light tubular skylights do not contribute to heat loss or gain, unlike some traditional skylights.

Our tubular skylights are precision engineered to withstand all weather conditions making them leak-proof and maintenance free. The sleek unit was designed with curb-appeal in mind with an attractive light fixture and a choice of 3 diffuser styles. All models have a 25 year product warranty - the best in the industry!



BEFORE




AFTER



How Does It Work?

The low-profile, durable acrylic dome captures sunlight on your roof from sunup to sundown. The captured sunlight travels through a highly reflective, mirror-like tube. It bounces several times inside the tube before entering your home through an attractive light fixture which is designed to evenly spread the incoming sunlight eliminating "hot spots". The tubular skylight also blocks out harmful UV rays.



Key Features

- Unique condensation release system prevents moisture build-up
- Low-profile unit blends seamlessly into roof line
- Built-in UV protection prevents fading on clothing, furniture and rugs
- Bug and dust proof sealing system
- Water tight and maintenance free
- Several models available to fit all roof types
- Quick and easy installation
- No structural changes or wiring required
- Accessories available: Dimmer, Light Kit and Vent Kit

Warranty and Certifications

- 25 Year Product Warranty - Best in the Industry!
- ENERGY STAR® Qualified
- ICC-ES Listed
- Florida Building Code Approved
- Hurricane Tested and Approved





LEARN MORE AT
energystar.gov

Accessories...



Dimmer with Remote

The dimmer allows you to adjust the amount of daylight entering a room with an easy-to-use remote control. Perfect for any room that may need to be darkened during the day including bedrooms, media rooms and conference rooms. Available for 10", 13" and 21" models.




Electric Light Kit

The light kit adds an electric light fixture directly into the tubular skylight for night time use. It can replace a previous light fixture or it can be installed anywhere with additional electrical wiring. Available in single, dual or fluorescent bulb models.



Exhaust Vent Kit

Extremely quiet vent kit motor is capable of exhausting 125 cfm. Perfect for bathrooms and laundry rooms, it incorporates a sleek light fixture with a hidden intake. No more ugly vent grates! The vent kit can accommodate a light kit and is available for the 10" model.



NATURAL LIGHT
eCoproduct

Natural Light Cares About the Environment

Natural Light is committed to manufacturing quality, environmentally responsible products that provide energy savings for our customers.

Our residential tubular skylights are ENERGY STAR® qualified in all 50 states and may also be eligible for local tax credits in your state as an energy conservation device. To see if you qualify for tax credits in your area, please visit www.nltubular.com/customer-service/related-links.html and click on the Database for State Incentives for Renewable Energy (DSIRE) link.

Natural Light Solar Attic Fans

Attic venting has long been recognized as an important aspect in maintaining the functions in your home. Proper venting cools your roof, reduces the load on your A/C and extends the roofing material life. The Natural Light Solar Attic Fan is self contained and fully operational right from the box. They are available with 10, 20 or 30 watt solar panels for roof-mounted, commercial curb-mounted and gable-mounted applications. A new garage exhaust vent kit is also available.

Operating at up to 1,200 cfm, one 20 watt unit can fully vent up to 2,000 square feet saving you energy and preserving the environment year round! Please visit www.solaratticfan.com to learn more.



www.nltubular.com

Engineered to be the Best...




From the dome to the diffuser, Natural Light tubular skylights are engineered to be easy to install, leak-proof and maintenance free.

The **Dome** is constructed of high impact modified acrylic. Considerably stronger than regular acrylic, it easily withstands wide temperature variations. This material is also UV stabilized, absorbing 99% of UV rays while maintaining optic clarity.

The **Light Pipe** is silver coated aluminum with a total reflectivity of 98%. The pipe is easily trimmed during installation.

The **Flashing** is .080 seamless aluminum, making it one of the thickest flashings on the market. Its unique forward sloping design eliminates light robbing elbows in most installations. A flat roof version is also available. Designed to uniformly expand and contract under changing environmental conditions ensuring leak free operation. Low-profile unit blends seamlessly into the roofline.



The **Stress Collar** is exclusive to Natural Light tubular skylights. This seamless aluminum collar is factory fastened to the dome and functions to equalize the stress around it. The collar is connected to the flashing eliminating screws into the dome; avoiding the major cause of leakage.

The **Trim Ring** is seamless aluminum, powder coated for durability and blends into any decor.

The **Diffuser** is designed with a precise arc for exact light dispersion without spot lighting or glare. It snaps into the trim ring for a snug, dust and moisture free seal. Available in 3 diffuser styles: Prismatic, Soft White or SkyBrite



Best Industry
Warranty



PRISMATIC



SOFT WHITE



SKYBRITE